


lphaJoint Cla



phaJoint® Classic 4010







Specification Sheet

Issue 6.3

01/09/2024








AlphaJoint® Classic 4010

Specification Sheet Issue 6.3 01/09/2024

manufacturing tolerances

Length±2.0mmHeight±1mmStraightness±0.5mm/600mm



dimensions and weight of AlphaJoint® Classic 4010

Nominal Slab Depth (mm)	Joint Height, h (mm)	Dowel Size (mm)	Dowel Centres (mm)	Length (mm)	Single Joint Weight (kg)	Number Per Bundle	Bundle Weight (kg)
150 - 200	140 - 190				32	42	1469
225	200	151 x 120 x 8	600	3000	33	35	1280
250	225				34	35	1315

Typical height and length values shown only. Weight values shown are based on AlphaJoint® Classic 4010 including TD8 dowels and are approximate.

materials						
Component	Material					
Joint arris armouring (4010)	EN 10277-1:2018 S235JRC					
Sheet steel formwork	EN 10130:2006 DC01					
Shear stud	EN ISO 13918:2017 S235J2					
Plate dowel	EN 10025-2:2004 S275JR					
Plate dowel sleeve	HDPP					











AlphaJoint® Classic 4010

Specification Sheet Issue 6.3 01/09/2024

theoretical calculated ultimate loads at failure of dowel or concrete

(For typical slabs, 40N/mm opening)	2 concrete and 20mm joint	Unreinforced Slab		
Slab Depth (mm)	Dowel Type	Bursting (kN/m)	Bending (kN/m)	
	TD6	34.5	53.0	
Universal Divider Plate to Suit 150 - 200	TD8	34.5	86.2	
	TD10	34.5	123.0	
	TD6	58.8	53.0	
225	TD8	58.8	86.2	
	TD10	58.8	123.0	
	TD6	70.3	53.0	
250	TD8	70.3	86.2	
	TD10	70.3	123.0	
	TD6	82.9	53.0	
275	TD8	82.9	86.2	
	TD10	82.9	123.0	
	TD6	84.2	53.0	
300	TD8	84.2	86.2	
	TD10	84.2	123.0	
	TD6	79.5	53.0	
325	TD8	79.5	86.2	
	TD10	79.5	123.0	









AlphaJoint® Classic 4010

Specification Sheet Issue 6.3 01/09/2024



This table shows the load at failure in bursting (failure of the concrete) and bending (failure of the dowel) for a joint opening of 20mm - larger joint openings can be accommodated. The ultimate load has been calculated in accordance with TR34 4th Edition. Dowel positions taken at mid depth of slab. For more detailed analysis please contact RCR Flooring Products Ltd.

*All design calculations should be verified by a suitably qualified structual engineer.

