#### www.rcrflooringproducts.com RCR Flooring Products Limited Mill Close, Lee Mill Industrial Estate, Ivybridge, Devon, PL21 9GL t: +44 1752 895288 | f: +44 1752 395800 | e: info@rcrflooringproducts.com













All content found within this datasheet is approximate. RCR Flooring Products Ltd reserves the right to amend this datasheet at any time. For further details, please contact RCR Flooring Products Ltd. RCR Flooring Products Ltd is registered in England & Wales - No. 02815314.

#### www.rcrflooringproducts.com

RCR Flooring Products Limited Mill Close, Lee Mill Industrial Estate, Ivybridge, Devon, PL21 9GL t: +44 1752 895288 | f: +44 1752 395800 | e: info@rcrflooringproducts.com



## betajoint<sup>®</sup>

Specification Sheet Issue 4.4 07/02/2019

## manufacturing tolerances Length ±2.0mm Height Straightness ±0.5mm/600mm ±1mm dimensions of BetaJoint® 50 lapped end \_\_\_\_ 2400 nn Т h 0 600 plate dowel centres dimensions in mm

### dimensions and weight of betajoint®

Nominal Slab Depth (mm)	Joint Height, h (mm)	Dowel Size (mm)	Dowel Centres (mm)	Length (mm)	Single Joint Weight (kg)	Number Per Bundle	Bundle Weight (kg)
150	130	151 x 120 x 8	600	2400	17.5	78	1450
175	150				19.0	65	1320
200	175				21.0	52	1177
225	200				23.6	52	1312

Typical height and length values shown only. Weight values shown are based on BetaJoint® including TD8 dowels and are approximate.

materials						
Component	Material					
Joint arris armouring	EN 10346: 2015 Dx514+Z					
Plate dowel	EN 10025-2: 2004 S275JR					
Plate dowel sleeve	HDPP					







#### www.rcrflooringproducts.com

RCR Flooring Products Limited Mill Close, Lee Mill Industrial Estate, Ivybridge, Devon, PL21 9GL t: +44 1752 895288 | f: +44 1752 395800 | e: info@rcrflooringproducts.com



# betajoint<sup>®</sup>

Specification Sheet Issue 4.4 07/02/2019

### theoretical calculated ultimate loads at failure of dowel or concrete

(For typical slabs, 40N/n	nm <sup>2</sup> concrete and <b>20mm</b> joint opening)	Unreinforced Slab		
Slab Depth (mm)	Dowel Type	Bursting (kN/m)	Bending (kN/m)	
	TD6	31.2	53.4	
150	TD8	31.2	87.2	
	TD10	31.2	124.7	
	TD6	40.0	53.4	
175	TD8	40.0	87.2	
	TD10	40.0	124.7	
	TD6	49.9	53.4	
200	TD8	49.9	87.2	
	TD10	49.9	124.7	
	TD6	60.7	53.4	
225	TD8	60.7	87.2	
	TD10	60.7	124.7	
	TD6	72.4	53.4	
250	TD8	72.4	87.2	
	TD10	72.4	124.7	
	TD6	85.6	53.4	
275	TD8	85.6	87.2	
	TD10	85.6	124.7	
	TD6	86.9	53.4	
300	TD8	86.9	87.2	
	TD10	86.9	124.7	









#### www.rcrflooringproducts.com

**RCR Flooring Products Limited** Mill Close, Lee Mill Industrial Estate, Ivybridge, Devon, PL21 9GL t: +44 1752 895288 | f: +44 1752 395800 | e: info@rcrflooringproducts.com




## betajoint®

Specification Sheet Issue 4.4 07/02/2019

Ultimate load (kN/m)

This table shows the load at failure in bursting (failure of the concrete) and bending (failure of the dowel) for a joint opening of 200mm - larger joint openings can be accommodated. The ultimate load has been calculated in accordance with TR34 4th Edition. Dowel positions taken at mid depth of slab. For more detailed analysis please contact RCR Flooring Products Ltd.

\*All design calculations should be verified by a suitably qualified structual engineer.











All content found within this datasheet is approximate. RCR Flooring Products Ltd reserves the right to amend this datasheet at any time. For further details, please contact RCR Flooring Products Ltd. RCR Flooring Products Ltd is registered in England & Wales - No. 02815314.