

lphaJoint® Classic 4010



10mm wide cold drawn, square edge 10mm x 100mm shear steel* provides joint arris armouring studs anchor AlphaJoint to concrete Frangible fixing system AlphaJoint® Classic 4010 Plate dowel sleeve to **Plate dowel provides load debond dowel transfer across joint Sheet steel formwork Universal Extension *Also available in galvanised and stainless steel to suit slab depths 150 - 200 **Dowels available in thicknesses of 6mm, 8mm and 10mm

Specification Sheet Issue 5.9 02/12/2020












AlphaJoint® Classic 4010

Specification Sheet Issue 5.9 02/12/2020

manufacturing tolerances

Length±2.0mmHeight±1mmStraightness±0.5mm/600mm

dimensions of AlphaJoint® Classic 4010



dimensions in mm

dimensions and weight of AlphaJoint® Classic 4010

Nominal Slab Depth (mm)	Joint Height, h (mm)	Dowel Size (mm)	Dowel Centres (mm)	Length (mm)	Single Joint Weight (kg)	Number Per Bundle	Bundle Weight (kg)
150 - 200	140 - 190				33.0	42	1485.0
220	200	151 x 120 x 8	600	3000	35.0	35	1451.0
240	225				36.0	35	1493.4

Typical height and length values shown only. Weight values shown are based on AlphaJoint® Classic 4010 including TD8 dowels and are approximate.

materials

iliatei iats					
Component	Material				
Joint arris armouring (4010)	EN 10277-1:2018 S235JRC				
Sheet steel formwork	BS EN 1030:2006 DC01				
Shear stud	EN ISO 13918 :2017 S235J2				
Plate dowel	BS EN 10025-2:2004 S275JRG2				
Plate dowel sleeve	HDPP				











AlphaJoint® Classic 4010

Specification Sheet Issue 5.9 02/12/2020

theoretical calculated ultimate loads at failure of dowel or concrete

(For typical slabs, 40N/mm2 concr	ete and 20mm joint opening)	Unreinforced Slab		
Slab Depth (mm)	Dowel Type	Bursting (kN/m)	Bending (kN/m)	
	TD6	35.7	53.4	
Universal Divider Plate to Suit 150 - 200	TD8	35.7	87.2	
	TD10	35.7	124.7	
	TD6	60.7	53.4	
225	TD8	60.7	87.2	
	TD10	60.7	124.7	
	TD6	72.4	53.4	
250	TD8	72.4	87.2	
	TD10	72.4	124.7	

Ultimate load (kN/m)

This table shows the load at failure in bursting (failure of the concrete) and bending (failure of the dowel) for a joint opening of 20mm - larger joint openings can be accommodated. The ultimate load has been calculated in accordance with TR34 4th Edition. Dowel positions taken at mid depth of slab. For more detailed analysis please contact RCR Flooring Products Ltd.

*All design calculations should be verified by a suitably qualified structual engineer.

